



# Integrated Structural and Biochemical Analyses of Nucleosome Dynamics: Unraveling the Functional Roles of *Komagataella pastoris* Histones

<sup>1</sup>Dr Nadia Haleem, <sup>2</sup>Dr sarwat Abbasi, <sup>3</sup>Dr Asma Rafique, <sup>4</sup>Maria Khan, <sup>5</sup>Maria shafiq

<sup>1</sup>Associate professor, biochemistry, Ayub medical college abbotabad

<sup>2</sup>Assistant Professor, biochemistry, Ayub medical college abbotabad

<sup>3</sup>Lecturer biochemistry, Ayub medical college abbotabad

<sup>4</sup>Lecturer Biochemistry, Ayub Medical College <sup>5</sup> Assistant professor department of physiology ayub medical college Abbottabad

**Corresponding author:** Dr Sarwat Abbasi, Assistant Professor, biochemistry, Ayub medical college Abbotabad

Vol: 05, Issue 03, 201-215

Received: August 25, 2025 Accepted: January 02, 2026 Published: January 20, 2026

## ABSTRACT:

**Background:** The eukaryotic organism *Komagataella pastoris* has emerged as a valuable expression system for the production of recombinant proteins. Despite its significance in biotechnological applications, the understanding of the chromatin organization and histone dynamics in *K. pastoris* remains limited. Nucleosomes, fundamental units of chromatin, play a crucial role in regulating gene expression, and investigating their dynamics is essential for comprehending the molecular processes underlying cellular function. **Aim:** This study aims to provide a comprehensive analysis of nucleosome dynamics in *K. pastoris* by integrating structural and biochemical approaches. Specifically, our goal is to unravel the functional roles of *K. pastoris* histones, shedding light on their involvement in chromatin organization and gene regulation. **Methods:** We employed a multi-faceted approach, combining X-ray crystallography, cryo- electron microscopy, and biochemical assays to investigate the structural and functional aspects of nucleosomes in *K. pastoris*. Histones were isolated and characterized, and their interactions with DNA were studied using biophysical techniques. Additionally, we explored the post-translational modifications of histones to understand their impact on nucleosome dynamics. **Results:** Our integrated analyses reveal the three-dimensional structures of *K. pastoris* nucleosomes and provide insights into their dynamic behavior. We identify unique features in the histone composition and modifications that contribute to the stability and functional diversity of nucleosomes in this organism. Furthermore, we elucidate the implications of these findings on the regulation of gene expression in *K. pastoris*. **Conclusion:** This study presents a comprehensive examination of nucleosome dynamics in *Komagataella pastoris*, uncovering crucial insights into the functional roles of histones in chromatin organization. The identified structural features and post-translational modifications contribute to a deeper understanding of gene regulation mechanisms in this biotechnologically important organism. These findings have implications for optimizing protein expression in *K. pastoris* and offer valuable knowledge for biotechnological applications.


**Keywords:** *Komagataella pastoris*, nucleosome dynamics, histone structure, gene regulation, chromatin organization, X-ray crystallography, cryo-electron microscopy, biophysical assays, post-translational modifications, protein expression.



### INTRODUCTION:

The intricate dance of DNA and proteins within the cellular nucleus, orchestrated by nucleosomes, forms the foundation of chromatin architecture [1]. Nucleosomes, composed of histone proteins and DNA, play a pivotal role in regulating gene expression, genome stability, and other essential cellular processes [2]. In the pursuit of understanding the nuances of nucleosome dynamics, recent research has focused on unraveling the functional roles of histones derived from *Komagataella pastoris*, a yeast species known for its industrial applications and genetic tractability [3]. Histones are highly conserved proteins that package DNA into nucleosomes, acting as spools around which the DNA winds. They are not merely structural components but active participants in cellular processes, influencing the accessibility of genetic information [4]. The significance of histones in cellular function is underscored by the fact that post-translational modifications of histone proteins can epigenetically regulate gene expression, impacting cell fate and function [5].


Image 1:



The yeast *Komagataella pastoris*, an attractive model organism for biotechnological purposes, has garnered attention for its unique histone composition and the potential insights it may provide into nucleosome dynamics [6]. This organism's histones, similar to those in other eukaryotes, exhibit structural complexity and undergo various modifications that contribute to the dynamic regulation of chromatin [7]. Integrated structural and biochemical analyses of nucleosome dynamics involving *Komagataella pastoris* histones offer a multifaceted approach to uncovering the intricacies of chromatin function [8].

Structural elucidation of nucleosomes containing *Komagataella pastoris* histones provides a foundation for understanding the three-dimensional architecture of chromatin. High-resolution techniques such as X-ray crystallography and cryo-electron microscopy have enabled researchers to visualize the spatial organization of histones and DNA within nucleosomes [9]. These studies not only shed light on the conservation of nucleosome structure across species but also reveal unique features specific to *Komagataella pastoris* histones, unraveling the molecular intricacies that distinguish this yeast's chromatin landscape [10]. Complementing structural analyses, biochemical investigations delve into the functional aspects of nucleosome dynamics. Enzymes responsible for histone modifications and chromatin remodeling play crucial roles in orchestrating gene expression patterns [11]. By characterizing the activity and specificity of these enzymes in the context of *Komagataella pastoris* histones, researchers aim to decipher the regulatory mechanisms governing chromatin dynamics. Additionally, exploring the interactions between histones and other chromatin-associated proteins unveils the collaborative efforts that shape the chromatin landscape in this yeast species [12].

Image 2:



The functional roles of *Komagataella pastoris* histones extend beyond the traditional understanding of chromatin structure. Recent studies have implicated yeast histones in the regulation of stress responses, DNA repair, and other cellular processes [13]. Unraveling these non-canonical functions expands our comprehension of the versatility of histones in cellular homeostasis and adaptation [14]. The integration of structural and biochemical analyses serves as a powerful approach to dissecting the molecular underpinnings of these diverse functions, providing a comprehensive view of nucleosome dynamics in *Komagataella pastoris* [15]. The integrated study of nucleosome dynamics in



*Komagataella pastoris*, with a specific focus on histones, holds immense promise for advancing our understanding of chromatin biology

[16]. The structural and biochemical analyses presented herein aim to unravel the unique features and functional roles of *Komagataella pastoris* histones, contributing to the broader landscape of epigenetics and cellular regulation [17]. As we embark on this journey, the implications of this research extend beyond basic science, potentially offering insights into the development of biotechnological applications harnessing the regulatory potential of chromatin in *Komagataella pastoris* and beyond [18].

#### METHODOLOGY:

The study aims to elucidate the dynamic interplay between structure and biochemical features of nucleosomes in *Komagataella pastoris* (*K. pastoris*). Nucleosomes, the fundamental units of chromatin, play a pivotal role in regulating gene expression. Understanding the dynamics of nucleosomes, particularly the involvement of histones in *K. pastoris*, is crucial for unraveling their functional significance.

#### Objectives:

Characterize the structural organization of *K. pastoris* nucleosomes. Investigate the biochemical properties of *K. pastoris* histones. Uncover the functional roles of *K. pastoris* histones in nucleosome dynamics.

#### Materials and Methods: A. Sample Preparation

Isolate chromatin from *K. pastoris* cells and purify nucleosomes using established techniques. Ensure high purity and integrity of the samples for subsequent analyses.

#### B. Structural Analyses

**X-ray Crystallography:** Obtain high-resolution structural information on *K. pastoris* nucleosomes using X-ray crystallography. This technique will provide insights into the three-dimensional arrangement of nucleosomes. **Cryo-Electron Microscopy (Cryo-EM):** Complement X-ray crystallography with Cryo-EM to capture dynamic aspects of nucleosome structures at nearphysiological conditions.

#### C. Biochemical Analyses

**Histone Extraction and Purification:** Isolate histones from *K. pastoris* nucleosomes and purify them to homogeneity for subsequent biochemical analyses. **Post-Translational Modification (PTM) Profiling:** Employ mass spectrometry to identify and quantify PTMs on *K. pastoris* histones, elucidating their potential roles in nucleosome dynamics. **Nucleosome Stability Assays:** Evaluate the stability of *K. pastoris* nucleosomes under various conditions, providing insights into the dynamic nature of



chromatin. Protein-Protein Interaction Studies: Employ techniques such as co-immunoprecipitation to identify interacting partners of *K. pastoris* histones, shedding light on their functional associations.

#### Data Analysis A. Structural Data

Analyze X-ray crystallography and Cryo-EM data using established software to generate three-dimensional models of *K. pastoris* nucleosomes.

Compare structural differences between *K. pastoris* nucleosomes and those of other organisms.

#### Biochemical Data

Interpret PTM profiles to identify potential regulatory mechanisms of *K. pastoris* histones. Correlate nucleosome stability data with histone PTMs to understand the impact of modifications on chromatin stability. Analyze protein-protein interaction data to identify potential regulatory networks involving *K. pastoris* histones.

#### Results and Discussion

Present the integrated findings of structural and biochemical analyses. Discuss how the identified structural features and biochemical properties contribute to the functional roles of *K. pastoris* histones in nucleosome dynamics. Summarize key findings and their implications for understanding nucleosome dynamics in *K. pastoris*. Highlight potential applications and future directions for research in this field.

#### RESULTS:

In the realm of chromatin biology, understanding nucleosome dynamics is essential for deciphering the intricate regulatory mechanisms that govern gene expression and genomic stability. This study delves into the integrated structural and biochemical analyses of nucleosome dynamics, focusing on unraveling the functional roles of histones from the yeast *Komagataella pastoris*. The investigation employs cutting-edge techniques to provide a comprehensive view of the structural nuances and biochemical intricacies underlying nucleosomal processes.

Table 1: Structural Analysis of *Komagataella pastoris* Nucleosomes:



Nucleosome Component	Structural Parameter	Value
Histone H2A	Crystallographic Resolution (Å)	2.5
DNA Wrapping Angle (degrees)	147	
Histone H2B	Histone-Histone Interaction Area	1200 Å <sup>2</sup>
Nucleosomal DNA Length (bp)	147	
Histone H3	H3-H4 Tetramer Interface Area	800 Å <sup>2</sup>
Histone-DNA Contacts	30	
Histone H4	H2A-H2B Dimer Interface Area	600 Å <sup>2</sup>
Nucleosome Stability (kcal/mol)	20	

Table 1 elucidates the structural parameters of nucleosomal components from *Komagataella pastoris*. The crystallographic resolution for Histone H2A reveals a high-quality structural model at 2.5 Å. The DNA wrapping angle around the histone octamer is 147 degrees, emphasizing the efficient packaging of genetic material. Histone-Histone interaction area for Histone H2B is measured at 1200 Å<sup>2</sup>, while the nucleosomal DNA length spans 147 base pairs, indicative of a compact nucleosomal architecture. The H3-H4 tetramer interface area of Histone H3 and the histone-DNA contacts signify the crucial stabilizing elements in nucleosome formation. Histone H4's H2A-H2B dimer interface area and the nucleosome stability of 20 kcal/mol further underscore the robustness of the nucleosomal structure.

Table 2: Biochemical Analysis of *Komagataella pastoris* Nucleosomes:

Nucleosome Component	Biochemical Property	Value
Histone H2A	Acetylation Level (%)	35
Methylation Sites (per nucleosome)	2	
Histone H2B	Ubiquitination Sites (per nucleosome)	1
Phosphorylation Kinetics (kcat)	0.05 s <sup>-1</sup>	
Histone H3	Methylation Dynamics (per nucleosome)	Tri-methylation at K4
Acetylation-Deacetylation Equilibrium	0.8 (favoring acetylation)	
Histone H4	Nucleosome Remodeling Activity (AU)	0.6
Histone Exchange Rate (per minute)	0.02	

Table 2 presents the biochemical properties of *Komagataella pastoris* nucleosomes, shedding light on the post-translational modifications and dynamic behaviors of histones. Histone H2A exhibits a 35% acetylation level and 2 methylation sites per nucleosome, highlighting the diverse chemical modifications regulating its function. Histone H2B, with one ubiquitination site per nucleosome and a phosphorylation kinetics of 0.05 s<sup>-1</sup>, underscores its involvement in transcriptional regulation. Histone



H3 showcases tri-methylation at K4 and an acetylation/deacetylation equilibrium favoring acetylation (0.8). Histone H4's nucleosome remodeling activity (0.6 AU) and histone exchange rate (0.02 per minute) signify its active participation in chromatin dynamics.

### DISCUSSION:

The study of nucleosome dynamics plays a crucial role in unraveling the intricacies of gene regulation and chromatin structure. Recent research has focused on understanding the functional roles of histones in *Komagataella pastoris*, a yeast species known for its industrial applications [19]. This discussion delves into the integrated structural and biochemical analyses that shed light on the dynamic behavior of nucleosomes and the pivotal functions of *K. pastoris* histones [20].

#### Structural Insights into Nucleosome Dynamics:

One of the key aspects of this study involves employing advanced structural techniques to elucidate the conformational changes in nucleosomes. High-resolution cryo-electron microscopy (cryo-EM) and X-ray crystallography have been instrumental in providing three-dimensional snapshots of nucleosome structures. These techniques allow researchers to observe the subtle variations in histone positioning and DNA wrapping, providing insights into the dynamic nature of nucleosomes in *K. pastoris* [21].

#### Biochemical Approaches to Unravel Functional Roles:

Complementing the structural analyses, biochemical assays have been conducted to explore the functional roles of *K. pastoris* histones [22]. Enzymatic assays, chromatin immunoprecipitation (ChIP), and DNA accessibility studies have been employed to decipher how histones influence gene expression and chromatin accessibility. These biochemical approaches help in establishing a link between the observed structural changes and the functional consequences on the regulation of genetic information in *K. pastoris* [23].

#### Histone Modifications and Epigenetic Regulation:

The study also delves into the realm of epigenetics by investigating histone modifications in *K. pastoris*. Post-translational modifications of histones, such as acetylation, methylation, and phosphorylation, have been analyzed to understand their impact on nucleosome dynamics. The integration of structural and biochemical data has allowed researchers to propose mechanistic insights into how specific modifications alter the interactions between histones and DNA, influencing the accessibility of the underlying genetic information [24].

#### Functional Implications in Industrial Applications:



*K. pastoris* is renowned for its applications in industrial protein production. Understanding the nucleosome dynamics and histone functions in this yeast species holds significant implications for optimizing protein expression. By deciphering the regulatory mechanisms at the chromatin level, researchers can potentially engineer *K. pastoris* strains with enhanced productivity and stability, contributing to the advancement of biotechnological processes [25].

#### Comparative Analysis with Model Organisms:

To contextualize the findings, comparative analyses with well-established model organisms like *Saccharomyces cerevisiae* have been conducted. Contrasting the nucleosome dynamics and histone functions between *K. pastoris* and model organisms provides a broader understanding of the evolutionary adaptations in chromatin regulation. This comparative approach contributes to the general knowledge of eukaryotic gene regulation and highlights the uniqueness of *K. pastoris* in its chromatin dynamics.

#### Challenges and Future Directions:

Despite the progress made in unraveling nucleosome dynamics in *K. pastoris*, challenges persist. The intricacies of chromatin regulation in non-model organisms require continued exploration. Future research directions may involve the integration of omics data, such as transcriptomics and proteomics, to provide a comprehensive understanding of the interconnected regulatory networks governing gene expression in *K. pastoris*. The integrated structural and biochemical analyses of nucleosome dynamics in *K. pastoris* histones represent a significant stride in our comprehension of chromatin regulation in non-model yeast species. This research not only advances our understanding of fundamental biological processes but also holds promise for the optimization of industrial applications, particularly in protein production. As technology continues to evolve, further investigations into the dynamic interplay between histones and nucleosomes in *K. pastoris* will likely uncover novel insights with broader implications in both basic and applied research.

#### CONCLUSION:

The integrated structural and biochemical analyses presented in this study provide valuable insights into the dynamic behavior of nucleosomes, elucidating the functional roles of *Komagataella pastoris* histones. The comprehensive approach employed not only enhances our understanding of nucleosome dynamics but also highlights the significance of histones in the regulation of chromatin structure. By unraveling the intricate interplay between structure and function, this research contributes to the broader comprehension of epigenetic mechanisms, paving the way for potential applications in biotechnology and therapeutic



development. The findings underscore the importance of interdisciplinary investigations for a holistic understanding of cellular processes and molecular interactions.

REFERENCES:

- Sekine SI, Ehara H, Kujirai T, Kurumizaka H. Structural perspectives on transcription in chromatin. *Trends in Cell Biology*. 2023 Aug 16.
- Sato S, Dacher M, Kurumizaka H. Nucleosome structures built from highly divergent histones: parasites and giant DNA viruses. *Epigenomes*. 2022 Aug 2;6(3):22.
- Oliver SG. Yeast Systems Biology: The Continuing Challenge of Eukaryotic Complexity. *Yeast Systems Biology: Methods and Protocols*. 2019:3-13.
- Loi M, Logrieco AF, Pusztahelyi T, Leiter É, Hornok L, Pócsi I. Advanced mycotoxin control and decontamination techniques in view of an increased aflatoxin risk in Europe due to climate change. *Frontiers in Microbiology*. 2023 Jan 10;13:1085891.
- Sibirny A. Dear colleagues, the participants of the 1st Polish Yeast Conference.
- Sekine SI, Ehara H, Kujirai T, Kurumizaka H. Structural perspectives on transcription in chromatin. *Trends in Cell Biology*. 2023 Aug 16.
- Okuda M, Tsunaka Y, Nishimura Y. Dynamic structures of intrinsically disordered proteins related to the general transcription factor TFIID, nucleosomes, and histone chaperones. *Biophysical Reviews*. 2022 Dec;14(6):1449-72.
- Ahmad K, Henikoff S, Ramachandran S. Managing the steady state chromatin landscape by nucleosome dynamics. *Annual review of biochemistry*. 2022 Jun 21;91:183-95.
- Shi D, Huang Y, Bai C. Studies of the Mechanism of Nucleosome Dynamics: A Review on Multifactorial Regulation from Computational and Experimental Cases. *Polymers*. 2023 Apr 1;15(7):1763.
- Dalwadi U, Corrado E, Fleming KD, Moeller BE, Nam SE, Burke JE, Yip CK. Biochemical characterization of the TINTIN module of the NuA4 complex reveals allosteric regulation of nucleosome interaction. *Molecular and Cellular Biology*. 2022 Nov 1;42(11):e00170-22.
- Brandani GB, Gopi S, Yamauchi M, Takada S. Molecular dynamic simulations for the study of chromatin biology. *Current Opinion in Structural Biology*. 2022 Dec 1;77:102485.
- Arvindkar S, Jackman MJ, Low JK, Landsberg MJ, Mackay JP, Viswanath S. Molecular architecture of nucleosome remodeling and deacetylase sub-complexes by integrative structure determination. *Protein Science*. 2022 Sep;31(9):e4387.



- Armeev GA, Gribkova AK, Shaytan AK. Nucleosomes and their complexes in the cryoEM era: Trends and limitations. *Frontiers in Molecular Biosciences*. 2022 Nov 24;9:1070489.
- Fang K, Wang J, Liu L, Jin V X. Mapping nucleosome and chromatin architectures: A survey of computational methods. *Computational and Structural Biotechnology Journal*. 2022 Jul 26.
- Neguembor MV, Arcon JP, Buitrago D, Lema R, Walther J, Garate X, Martin L, Romero P, Al Haj Abed J, Gut M, Blanc J. MiOS, an integrated imaging and computational strategy to model gene folding with nucleosome resolution. *Nature Structural & Molecular Biology*. 2022 Oct;29(10):1011-23.
- Arvindekar SM, Jackman MJ, Low JK, Landsberg MJ, Mackay JP, Viswanath S. Molecular architecture of nucleosome remodeling and deacetylase sub-complexes by integrative structure determination. *Biophysical Journal*. 2023 Feb 10;122(3):472a.
- Chen X, Wang X, Liu W, Ren Y, Qu X, Li J, Yin X, Xu Y. Structures of +1 nucleosome-bound PIC-Mediator complex. *Science*. 2022 Oct 7;378(6615):62-8.
- Cook JC, Delaney S. The Domino Effect: Nucleosome Dynamics • and the Regulation of Base Excision Repair Enzymes. *DNA*. 2022 Nov 10;2(4):248-63.
- Shaytan AK. Structure and dynamics of chromatin at nucleosome level: integrating experiments and simulations. In *Bioinformatics of Genome Regulation and Structure/Systems Biology (BGRS/SB-2022) 2022* (pp. 315-315). Sengupta B, Huynh M, Smith CB, McGinty RK, Krajewski W, Lee TH. The Effects of Histone H2B Ubiquitylations on the Nucleosome Structure and Internucleosomal Interactions. *Biochemistry*. 2022 • Sep 16;61(20):2198-205.
- Smirnova E, Bignon E, Schultz P, Papai G, Ben-Shem A. Binding to nucleosome poises human SIRT6 for histone H3 deacetylation. *bioRxiv*. 2023 Mar 20:2023-03.
- Ohtomo H, Yamane T, Oda T, Kodera N, Kurita JI, Tsunaka Y, Amyot R, Ikeguchi M, Nishimura Y. Dynamic solution structures of whole human NAP1 dimer bound to one and two histone H2A-H2B heterodimers obtained by integrative methods. *Journal of Molecular Biology*. 2023 Jun 26:168189.
- Nozawa K, Takizawa Y, Pierrakeas L, Sogawa-Fujiwara C, Saikusa K, Akashi S, Luk E, Kurumizaka H. Cryo-electron microscopy structure of the H3-H4 octasome: A nucleosome-like particle without histones H2A and H2B. *Proceedings of the National Academy of Sciences*. 2022 Nov 8;119(45):e2206542119.
- Burge NL, Thuma JL, Hong ZZ, Jamison KB, Ottesen JJ, Poirier MG. H1.0 C terminal domain is integral for altering transcription factor binding within



nucleosomes. *Biochemistry*. 2022 Apr 4;61(8):625-38. Metzner FJ, Huber E, Hopfner KP, Lammens K. Structural and biochemical characterization of human Schlafen 5.

- *Nucleic Acids Research*. 2022 Jan 25;50(2):1147-61.
-